

avenlur

Betula by Avenlur



Need Help?

CALL US AT 888.697.3931 / M-F 9AM - 5PM PT (12PM - -8PM ET)

OR EMAIL US AT INFO@AVENLUR.COM

V3-79

WARNING

Adult assembly required.

WARNING

Maximum user weight: 220 lbs (100kg) per child.

WARNING

CHOKING HAZARD:

Adult assembly required. Keep small assembly parts out of reach of children.

 Use under adult supervision.

OBSERVE ALL STATEMENTS AND WARNINGS TO REDUCE THE LIKELIHOOD OF SERIOUS OR FATAL INJURY. SAVE THIS SHEET FOR FUTURE REFERENCE.

OPERATION INSTRUCTIONS

1. An adult should always supervise use of this product by children of all ages.
2. Instruct children not to attach items to the playground equipment that are not specifically designed for use with the equipment (examples: ropes, clothesline, pet leashes, cables and chain, etc) as they may cause a strangulation hazard or any other hazard.
3. Never allow children to use the equipment in a manner other than intended.

MAINTENANCE INSTRUCTIONS

1. Inspect the product periodically for loose or damaged components. **Tighten bolts if need.**
2. Check all connections and bolts for tightness at least twice monthly during the usage.
3. Check all coverings and bolts for sharp edges.

INSTALLATION INSTRUCTIONS

Please have an electrical drill available for assembly if possible.

If you have difficulty in installation, please contact us for help and get installation video for reference.

Please Ensure:


1. You are assembling with at least two people to ensure that all sides and parts are leveled.
2. You don't screw the parts in too hard or it will splinter the wood.
3. You follow the directions carefully.

CONTACT US BEFORE ASSEMBLY IF:

- You need assistance with assembly
- You need a replacement part due to a missing part or defective part

Call us at 888-697-3931 M-F 9AM-5PM PT

or email us at info@avenlur.com



① ×1 23.5in



② ×5 24.3in



③ ×10 26in




④ ×2 25.5in



⑤ ×6 2.5in



⑥ ×1 24.3in



⑦ ×3 29in




⑧ ×1 39.5in




⑨ ×1 39.5in




⑩ ×1 39.5in




⑪ ×1 39.5in




⑫ ×1 23.5in



⑬ ×1 45.5in



⑭ ×1




⑮ ×1



⑯ ×2



⑰ ×2 31.5in



⑱ ×2 45.5in



M7×50
① ×28



M6×110 M6×20
② ×12



M8×100
③ ×2



M8
④ ×4




M8
⑤ ×4



M10×40
⑥ ×4




⑦ ×4




M6×80
⑧ ×6



4mm
⑨ ×2







13mm
⑩ ×2



M7×40
⑪ ×22

01-1

Note: Pay attention to all the black bubbled section markers. The manual may refer back to those later







C	M8x100	1
D	M8	2

E	M8	2
F	M10x40	2

J	13mm	2
---	------	---

02-1




C	M8x100	1
D	M8	2



E	M8	2
F	M10x40	2

J	13mm	2
---	------	---


The protruding end of ③ fits with the holes of parts ⑩ and ⑧. Attach the protruding ends first to ⑩ and ⑧ with screw ① before attaching the other side.



02-1






01-1




03-2


Note: When installing, holes in Part ⑦ have a front-back distinction. Ensure they align with the direction as shown in the manual.



⑤	M6×110	M6×20	12
①	4mm		2




05-1






(K)	 M7×40	10
(I)	 4mm	1

06-1



The protruding end of the part ② & ⑥ need to correspond to the hole of part ① when installed. Fix the side with protruding end first.



(K)	 M7×40	12
(I)	 4mm	1





Need help? Scan the QR code to watch the instructional video

Important Note:

Parts 14, 15, and 16 are not designed to be used together. Only one of these parts should be installed or operated at a time. Using more than one simultaneously may result in malfunction, damage to the device, or safety hazards.




Note: The reserved length of the rope after knotting should be more than 2in here.




Attaching the Ring (Part 16)

1. Remove the rope ladder (Part 14) before installation.
2. Use the rope (Part 17) to securely tie the ring (Part 16).
3. Assemble the ring as shown in the diagram







For questions with assembly or replacement parts, please email us at: info@avenlur.com or call us at: **888-697-3931**