

avenlur

Chestnut-Med by Avenlur



Need Help?

CALL US AT 888.697.3931 / M-F 9AM - 5PM PT (12PM - -8PM ET)
OR EMAIL US AT INFO@AVENLUR.COM

WARNING

Adult assembly required.

WARNING

Maximum user weight: 110 lbs (50kg) per child.

WARNING

CHOKING HAZARD:

Adult assembly required. Keep small assembly parts out of reach of children.

 Use under adult supervision.

OBSERVE ALL STATEMENTS AND WARNINGS TO REDUCE THE LIKELIHOOD OF SERIOUS OR FATAL INJURY. SAVE THIS SHEET FOR FUTURE REFERENCE.

OPERATION INSTRUCTIONS

1. An adult should always supervise use of this product by children of all ages.
2. Instruct children not to attach items to the playground equipment that are not specifically designed for use with the equipment (examples: ropes, clothesline, pet leashes, cables and chain, etc) as they may cause a strangulation hazard or any other hazard.
3. Never allow children to use the equipment in a manner other than intended.

MAINTENANCE INSTRUCTIONS

1. Inspect the product periodically for loose or damaged components. **Tighten bolts if need.**
2. Check all connections and bolts for tightness at least twice monthly during the usage.
3. Check all coverings and bolts for sharp edges.

INSTALLATION INSTRUCTIONS

Please have an electrical drill available for assembly if possible.

If you have difficulty in installation, please contact us for help and get installation video for reference.

Please Ensure:






1. You are assembling with at least two people to ensure that all sides and parts are leveled.
2. You don't screw the parts in too hard or it will splinter the wood.
3. You follow the directions carefully.

CONTACT US BEFORE ASSEMBLY IF:

- You need assistance with assembly
- You need a replacement part due to a missing part or defective part

Call us at 888-697-3931 M-F 9AM-5PM PT


or email us at info@avenlur.com



Important Tips:


01-1

- Pay attention to the black bubbled section markers, as the manual will refer to them later.
- After securing **B** screws, you should MANUALLY tighten them with the hex wrench, or the dimensions could be off.




01-2

Part **38** is not screwed in





01-3

Fold so it is flipped over




02-1



Make sure the holes on 36 are facing upward




02-2



03-1




03-2




04-1



Note:

1. Slide bar 27 through one beam then add the middle parts of 18 and 19.
2. Slide 27 through the other beam and add the other 4 parts on the ends as shown.




04-2



A		4
B		4


04-3




05-1

Note: Add section **01-3** and **02-2** by sliding parts **27** through the holes as shown


Step 1




Step 2



Step 3






05-2




05-3


Secure both bars 27 to the beams with screw A and B



A		4
B		2


06-1







B		8
---	---	---




If using an electric screwdriver, tighten B screws manually afterwards

06-2







NOTE: Pay attention to the holes on the part 22 & 23, make sure parts 22 & 23 are facing the correct direction as shown.





(D)		4
	M6x45 M6x20	
(E)		8
	M6x40 M6x20	
(H)		2
	M4	

09-1




Q		M7x70	2
B		M6.3x40	2
D		M6x45 M6x20	2
E		M6x40 M6x20	2
H		M4	2


10-1




K		M6x20 M6x30	2
F		M8x40 M8x20	4
G		M8x70 M8x20	2
O		M6x20 M6x30	2
R			2



Step 1




Step 2




Note: The vertical rope will wrap once around each horizontal rope on each pass.
The vertical rope goes through the holes of the middle horizontal bar



Step 3





Step 4




12-1




N		M4x40	8
----------	---	-------	---

C		M10x35	12
I		M8	1
J		M10	1

12-2







12-3




13-1

Note: Part 40 must pass from bottom to top as shown by the arrow, or the strap will be easy to pull out




Folding steps


Step 1




Step 2




Step 3




Step 4




Step 5




Step 6



40



Note: Part **40** must pass from bottom to top as shown by the arrow, or the strap will be easy to pull out




Note: Part **40** is tied above the sixth part **24** from bottom to top. On the left side, use part **40** to tie four parts (part **34**, **10**, **11** & **6**) together; on the right side, use another part **40** to tie four parts (part **34**, **9**, **11** & **7**) together as shown

Folding steps

Note: Check all connections and bolts for tightness at least twice monthly during use.
Do not use if screws are loose.

Step 7




Loosen four screws **D** here this step.

Remove two **F** screws and fold bars up



Step 8



Step 9

