

avenlur

Grove by Avenlur



WARNING:

Adult assembly required.

Need Help?

CALL US AT 888.697.3931 / M-F 9AM - 5PM PT (12PM - -8PM ET)

OR EMAIL US AT INFO@AVENLUR.COM

V4S

WARNING

Adult assembly required.

WARNING

Maximum user weight: 220 lbs (100kg) per child.

WARNING

CHOKING HAZARD:

Adult assembly required. Keep small assembly parts out of reach of children.

 Use under adult supervision.

OBSERVE ALL STATEMENTS AND WARNINGS TO REDUCE THE LIKELIHOOD OF SERIOUS OR FATAL INJURY. SAVE THIS SHEET FOR FUTURE REFERENCE.

OPERATION INSTRUCTIONS

1. An adult should always supervise use of this product by children of all ages.
2. Instruct children not to attach items to the playground equipment that are not specifically designed for use with the equipment (examples: ropes, clothesline, pet leashes, cables and chain, etc) as they may cause a strangulation hazard or any other hazard.
3. Never allow children to use the equipment in a manner other than intended.

MAINTENANCE INSTRUCTIONS

1. Inspect the product periodically for loose or damaged components. **Tighten bolts if need.**
2. Check all connections and bolts for tightness at least twice monthly during the usage.
3. Check all coverings and bolts for sharp edges.

INSTALLATION INSTRUCTIONS

Please have an electrical drill available for assembly if possible.

If you have difficulty in installation, please contact us for help and get installation video for reference.

Please Ensure:



1. You are assembling with at least two people to ensure that all sides and parts are leveled.
2. You don't screw the parts in too hard or it will splinter the wood.
3. You follow the directions carefully.

CONTACT US BEFORE ASSEMBLY IF:

- You need assistance with assembly
- You need a replacement part due to a missing part or defective part


Call us at 888-697-3931 M-F 9AM-5PM PT

or email us at info@avenlur.com





A1-1



NOTE: Check all connections and bolts for tightness at least twice monthly during the usage. Prevent the product from being used normally due to screw loosening.



A2-1





A3-1




NOTE: Flip the unit over to the othe side so part ③ and ⑥ are in the same position as shown in the illustration below.

A4-1




A3-4







B1-1





B2-1



Note: When adding the longest rope ⑭ vertically, you will wrap the rope around each pass of the horizontal rope.







B1		8
	M6×120 M6×20	



C1-1




C2-1




C2-2



D1-1






D2-1




D2-2














E3-1









D1	 M8 x 50	2
----	---	---




E5-1




D1	 M8 x 50	2
----	---	---






(A2)	 M5×80	6
------	--	---





Use a studfinder and mark the wall where the center of the studs are. Studs are typically 16" apart. Measure the distance between your studs to confirm. Mark, level, and predrill holes in the wall to attach parts (17) with screws (A2).




C3		4
G		2
H		1
E		1




The anti-slip nut on top must be screwed tightly completely.




Note: Install the screws G in place as shown. Part 36 shall be mounted onto the screws G in the following step







Folding Instructions



STEP 6




STEP 5




NOTE: When folding, these two Parts ②① must be on top, otherwise Part ⑤ can't be buckled.


STEP 7



STEP 8



⑤



Note: Use Part ⑤ to fasten in this step.

⑤



1

