


# avenlur

## Ivy by Avenlur



### WARNING:

Adult assembly required.



### WARNING

- Read all instructions before assembly and use.
- Keep instructions for future use.
- Do not use if it is damaged or broken.
- Adult assembly required.



## WARNING

### **WARNING: DEVELOPMENTAL USAGE CRITERIA**

**Start of Use:** This product may only be used when the child has achieved the developmental milestone of holding their head up unassisted, as a minimum requirement.

**Discontinuation of Use:** Cease using this product as a stationary activity center immediately when the child begins to walk unassisted.

**Critical Reminder:** Failure to adhere to these developmental criteria (e.g., using the product before the child meets the minimum developmental level, or continuing use after the child exceeds the applicable stage) may expose the child to safety hazards such as falls, bumps, or other injuries.

### **FALL HAZARD**

Babies can **FALL** from product resulting in head injuries.


- **NEVER** leave child unattended. Always keep child in view while in product.
- **NEVER** use near stairs.
- To avoid tip over, place product on a flat, level surface.

### **STRANGULATION HAZARD**

Strings can cause **STRANGULATION**.

- **DO NOT** place items with a string around child's neck, such as hood strings or pacifier cords.
- **DO NOT** suspend strings over product or attach strings to toys.

# Assemble steps



Stage 1

page 1

For ages 0-6M



Stage 2

From page 3 to page 10


For ages 6M to 2Y



Stage 3

From page 11 to page 14

For ages 18M to 5Y



IVY MAT - SOLD SEPARATELY

page 2

For ages 0M+



IVY ACTIVITY TABLE -  
SOLD SEPARATELY

From page 15 to page 19

For ages 18M to 5Y

## Tools needed



Electric  
Screwdriver




① Phillips Screwdriver Bit




② Hex Screwdriver Bit


Assembly Tip: > While Avenlur provides the tools for assembly, Using an electric screwdriver or Tool ① and Tool ② is highly recommended for a faster, more efficient setup.




① ×1 22.0in




② ×1 23.5in




③ ×3 27.5in




④ ×1 13.5in




⑤ ×1 14.0in




⑥ ×3 31.5in



⑦ ×1 11.6in




⑧ ×3



⑨ ×4 1.5in




⑩ ×1




⑪ ×1 5.0in



⑫ ×1 6.0in




⑬ ×2 4.5in




⑭ ×3 3.5in



⑮ ×3 2.5in




⑯ ×3 5.5in




⑰ ×1 7.0in




⑱ ×1




⑲ ×1




⑳ ×1



㉑ ×1




㉒ ×1



felt

30 × 3



felt

31 × 3




M4×40

A × 2



M4×20

B × 5



M6×15 M6×20

C × 6



M6×30 M6

D × 18




4mm

E × 2




2.5mm

F × 1



M6×13×14

G × 9



10mm


H × 1




10mm

I × 1


## Ivy add-on




23 × 1 23.5in




24 × 2 2.5in




27 × 4




25 × 1



26 × 1



28 × 4



J × 2



4mm


K × 1



M3×16

L × 4


## Ivy add-on mat




29 × 1 43.0in

01-1


# Stage 1





|            |                                                                                                 |   |
|------------|-------------------------------------------------------------------------------------------------|---|
| <b>(C)</b> |  M6×15 M6×20 | 6 |
| <b>(E)</b> |  4mm         | 1 |


01-2

Note: After assembling Part **(22)** , please be sure to peel off the scratch-resistant film on the mirror to prevent children from ingesting it.






Thread part 14 onto the strap.



03-1


## Stage 2

You need to take away the mat and remove Part 22.









04-1

Remove screws C.



When installing, please attach the short side of part 16 at the bottom.




|          |                                                                                                 |    |
|----------|-------------------------------------------------------------------------------------------------|----|
| <b>D</b> | <br>M6×30 M6 | 18 |
| <b>E</b> | <br>4mm      | 2  |
| <b>G</b> | <br>M6×13×14 | 9  |
| <b>H</b> | <br>10mm     | 1  |
| <b>I</b> | <br>10mm     | 1  |

Install part ⑤ together with part ④ ,  
and pay attention to their orientation.






Need help?

Scan the QR code to  
watch the  
instructional video.




After putting them together,  
fasten the clips around the inner circle.




## 07-1

06-1



1






Install Section 06-1 together with part 1, and make sure the clips at the bottom are securely fastened. Don't need to worry about the orientation of Section 06-1, as it can rotate after installation.

## 08-1

6



Please install Part 6 in the direction specified in the instruction manual.



Step 1: Pass Part 6 through the hole on top of Part 3.

Step 2: Pass Part 6 back through the middle hole of Part 3, and install Part 14 into it.



## Installation and adjustment of the spring strap

To help you quickly understand the installation and adjustment of the spring strap, we will mark the strap in red in some steps.




### Installation of the spring strap



Need help? Scan the QR code to watch the instructional video.




Step 1: Fold the red part of the strap to make it the same as the image on the right.




Step 2: Pinch it tightly and thread it through the hole.

Step 3: Open the washer to complete the installation.


### Removal of the strap



Step 1



Step 2




Step 3

Step 1: Gently lift the toy board and fold the red part of the strap below upwards to the left, making it the same as the illustration.

Step 2: Pinch it tightly and pull it through the hole.

Step 3: The removal is complete.

### Height Adjustment



There are 6 gears available for height adjustment, and please use it together with Part 14.





Step 1: After selecting the appropriate gear, thread the strap through the hole.

Step 2: Stretch the strap open and tuck Part 14 into it.


# 10-1


Note: After assembling Part 11, please be sure to peel off the scratch-resistant film on the mirror to prevent children from ingesting it.




|   |                                                                                           |   |
|---|-------------------------------------------------------------------------------------------|---|
| B |  M4×20 | 2 |
|---|-------------------------------------------------------------------------------------------|---|

# 11-1




|   |                                                                                           |   |
|---|-------------------------------------------------------------------------------------------|---|
| A |  M4×40 | 2 |
|---|-------------------------------------------------------------------------------------------|---|

## 12-1



Step 1




Step 2



Step 1: Unscrew the two screws (B) from the holes as shown.

Step 2: Align the base of part (7) with the holes of screws (B),


then tighten screws (B).

|     |                                                                                     |   |
|-----|-------------------------------------------------------------------------------------|---|
| (B) |  | 2 |
|     | M4×20                                                                               |   |


## 13-1




Thread parts (9), and (10) onto part (7). You can rotate part (7) to ensure part (10) fits into its corresponding hole, then tighten screws (B).

|     |                                                                                     |   |
|-----|-------------------------------------------------------------------------------------|---|
| (B) |  | 1 |
|     | M4×20                                                                               |   |


14-1



Attach felt 30 to Part 8,  
felt 31 to Part 16





14-2





|          |                                                                                                   |   |
|----------|---------------------------------------------------------------------------------------------------|---|
| <b>C</b> |  M6×15 M6×20 | 6 |
| <b>E</b> |  4mm         | 2 |

14-3




15-1

## Stage 3



15-1A




15-1B



Disassemble Section 14-3 into Section 15-1A and Section 15-1B following the removal method of Section 09-1.

16-1

Remove part 14 from Section 15-1B.






15-1B



17-1


Remove the bottom screws.




|          |                                                                                     |   |
|----------|-------------------------------------------------------------------------------------|---|
| <b>H</b> |  | 1 |
| <b>I</b> |  | 1 |
| <b>E</b> |  | 2 |

18-1


Remove the bottom screws.




|          |                                                                                       |   |
|----------|---------------------------------------------------------------------------------------|---|
| <b>H</b> |  | 1 |
| <b>I</b> |  | 1 |
| <b>E</b> |  | 2 |


19-1

Remove part 15 and 14-1.




|          |                                                                                     |   |
|----------|-------------------------------------------------------------------------------------|---|
| <b>E</b> |  | 2 |
|----------|-------------------------------------------------------------------------------------|---|

20-1




20-2




20-3

When installing, adjust Part ③ to keep Part ② in a horizontal position. Then put Part ①⑦ in place, first screw on all ④ screws with ④ nuts, and tighten them finally.






|   |             |   |
|---|-------------|---|
| ④ | M6×15 M6×20 | 6 |
| ⑤ | 4mm         | 2 |

Please install the toy in the designated position  
and press it firmly to prevent loosening.



21-1


# IVY ACTIVITY TABLE - SOLD SEPARATELY



Remove parts 18, 19, 20, and 21.


21-2


Remove C screws.



21-3


Take out part 3 in the direction of the arrow.






15-1A

Remove all screws (A) , (B) .



## 21-2





21-1A

|   |                                                                                              |   |
|---|----------------------------------------------------------------------------------------------|---|
| L | <br>M3×16 | 4 |
|---|----------------------------------------------------------------------------------------------|---|

## 21-3




Install Section **21-1B**  
according to the method on Page 9

21-1B




|   |                                                                                              |   |
|---|----------------------------------------------------------------------------------------------|---|
| B | <br>M4×20 | 3 |
|---|----------------------------------------------------------------------------------------------|---|

21-4



21-5

21-4



20-4

