

avenlur

Walnut by Avenlur



Need Help?

CALL US AT 888.697.3931 / M-F 9AM - 5PM PT (12PM - -8PM ET)
OR EMAIL US AT [INFO@AVENLUR.COM](mailto:info@avenlur.com)

V6

WARNING

Adult assembly required.

WARNING

Maximum user weight: 220 lbs (100kg) per child.

WARNING

CHOKING HAZARD:

Adult assembly required. Keep small assembly parts out of reach of children.

 Use under adult supervision.

OBSERVE ALL STATEMENTS AND WARNINGS TO REDUCE THE LIKELIHOOD OF SERIOUS OR FATAL INJURY. SAVE THIS SHEET FOR FUTURE REFERENCE.

OPERATION INSTRUCTIONS

1. An adult should always supervise use of this product by children of all ages.
2. Instruct children not to attach items to the playground equipment that are not specifically designed for use with the equipment (examples: ropes, clothesline, pet leashes, cables and chain, etc) as they may cause a strangulation hazard or any other hazard.
3. Never allow children to use the equipment in a manner other than intended.

MAINTENANCE INSTRUCTIONS

1. Inspect the product periodically for loose or damaged components. **Tighten bolts if need.**
2. Check all connections and bolts for tightness at least twice monthly during the usage.
3. Check all coverings and bolts for sharp edges.

INSTALLATION INSTRUCTIONS

Please have an electrical drill available for assembly if possible.

If you have difficulty in installation, please contact us for help and get installation video for reference.

Please Ensure:



































1. You are assembling with at least two people to ensure that all sides and parts are leveled.
2. You don't screw the parts in too hard or it will splinter the wood.
3. You follow the directions carefully.

CONTACT US BEFORE ASSEMBLY IF:


- You need assistance with assembly
- You need a replacement part due to a missing part or defective part

Call us at 888-697-3931 M-F 9AM-5PM PT

or email us at info@avenlur.com




01-1




	M8×100	1		M8	2			2
	M10×40	2		M8	2		13mm	2



02-1




	M8×100	1		M8	2			2
	M10×40	2		M8	2		13mm	2






The protruding end of ③ fits with the holes of parts ⑧ and ⑩. Attach the protruding ends first to ⑧ and ⑩ with screw ① before attaching the other side.




①	 M7x50	32
②	 4mm	1

Note: When installing, holes in Part 17A have a left-right and front-back distinction. Ensure they align with the direction as shown in the manual.




C	M6×110 M6×20	12
M	4mm	1

04-1






	M8×100	1		M8	2		13mm	2
	M10×40	2		M8	2		13mm	2

05-1





	M8×100	1		M8	2		13mm	2
	M10×40	2		M8	2		13mm	2




(A)	 M7x50	8
(M)	 4mm	1

Make sure to install boards with the arrow facing correct direction as shown so that the rocks will align correctly





I		24
M		1


23 Back side



Note: Make sure the blue seal rim on the nut is facing outward towards you. You may need to twist very hard to secure (and if needed spray WD-40) being that it's meant to be very tight and secure for children to climb on!




24 Front side




J	M10x35	28
N	8mm	1
P	17mm	1

08-1






D	M8×100	1	E	M8	2	H		2
G	M10×40	2	F	M8	2	O	13mm	2

09-1






D	M8×100	1	E	M8	2	H		2
G	M10×40	2	F	M8	2	O	13mm	2



A	 M7x50	16
M	 4mm	1

11-1


Note: When installing, holes in Part 17B have a left-right and front-back distinction. Ensure they align with the direction as shown in the manual.





(C)	M6×110 M6×20	12
(M)	4mm	2






Need help? Scan the
QR code to watch the
instructional video




13-1



B	 M6×40 M6×20	12
M	 4mm	2





15-1




(L)	 M7x40	10
(M)	 4mm	1

16-1



The protruding end of the part ② & ②⑤ need to correspond to the hole of part ① when installed.
Fix the side with protruding end first.


(L)	 M7x40	12
(M)	 4mm	1




Need help? Scan the QR code to watch the instructional video

Important Note:

Parts 20, 21, and 22 are not designed to be used together. Only one of these parts should be installed or operated at a time. Using more than one simultaneously may result in malfunction, damage to the device, or safety hazards.



Note: The reserved length of the rope after knotting should be more than 2in here.



Attaching the Ring (Part 22)

1. Remove the rope ladder (Part 20) before installation.
2. Use the rope (Part 26) to securely tie the ring (Part 22).

